EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	314	(BIST built$1 near in$1 near self near test) with (redundan $3 spare replacement reserve) with memory	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/28 14:33
L5	140	(BIST built$1 near in$1 near self near test) with (bad fail $4 defect$3 fault$3 mal$1 near function$4 error deficien $3) near12 (column row)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/28 14:33
L6	77	(BIST built$1 near in$1 near self near test) with (bad fail $4 defect$3 fault$3 mal$1 near function$4 error deficien $3) near12 (column row) with address	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/28 14:33
L7	2818	memory with (bad fail$4 defect$3 fault$3 mal$1 near function$4 error deficien$3) near12 (column row) with address	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/28 14:33
L8	74	L7 and L6	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/28 14:33
L9	2087	memory with (bad fail$4 defect$3 fault$3 mal$1 near function$4 error deficien$3) near12 column with address	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/28 14:33
L10	60	L9 and L8	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/28 14:33
L11	2117	memory with (bad fail$4 defect$3 fault$3 mal$1 near function$4 error deficien$3) near12 row with address	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/28 14:33
L12	50	L11 and L10	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/28 14:33
L13	22	L12 and (compar$3 with (bad fail$4 defect$3 fault$3 mal$1 near function$4 error deficien$3) near12 (column row))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/28 14:33
L14	18	L13 and (@pd<"20040113" or @ad<"20040113" or @prad<"20040113" or @rlad<"20040113")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/28 14:33

L22	67	(ELLIS near WAYNE near F).in. (GORMAN near KEVIN near W).in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/28 14:33
L23	1	L22 and (weight near value with (fail$3 defect$3 fault$3) with (row column))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/28 14:33
L24	1	L22 and (weight near value with (fail$3 defect$3 fault $3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/28 14:33
L25	2	(weight near value with (fail$3 defect$3 fault$3) with (row column))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/28 14:33
L26	2818	memory with (bad fail$4 defect$3 fault$3 mal$1 near function$4 error deficien$3) near12 (column row) with address	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/28 14:33
L27	796	L26 and ((compar$3 count $3) with (bad fail$4 defect$3 fault$3 mal$1 near function $4 error deficien$3) near14 (column row) near12 address)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/28 14:33
L28	666	L27 and (@pd<"20040113" or @ad<"20040113" or @prad<"20040113" or @rlad<"20040113")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/28 14:33
L29	501	L28 and ((redundant repair $3 fix$3) with (row column))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/28 14:33
L30	17	L29 and ((bad fail$4 defect $3 fault$3 mal$1 near function$4 error deficien$3) near12 (column row) with threshold)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/28 14:33
L33	1190	count$3 with (row column) with (fault$3 error defect$3 fail$5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/28 14:33
L34	740	L33 and ((decreas$3 increas $3 augment$3 reduc$3 increment$3 addition$4 decrement$3 diminish$3) with count$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/28 14:33
L35	160	L33 and ((decreas$3 increas $3 augment$3 reduc$3 increment$3 addition$4 decrement$3 diminish$3) with count$3 with (repair$3 fix$3 redundanc$3 correct $3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/28 14:33

L36	102	L35 and (memory).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/28 14:33
L37	63	L36 and (memory with row with (fail$3 fault$3 defect$3 error))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/28 14:33
L38	52	L37 and (memory with column with (fail$3 fault$3 defect$3 error))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/28 14:33
L39	43	L38 and (@pd<"20040113" or @ad<"20040113" or @prad<"20040113" or @rlad<"20040113")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/28 14:33
S32	1188	count$3 with (row column) with (fault$3 error defect$3 fail$5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/27 12:09
S33	739	S32 and ((decreas$3 increas$3 augment$3 reduc$3 increment$3 addition$4 decrement$3 diminish$3) with count$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/27 12:12
S34	159	S32 and ((decreas$3 increas$3 augment$3 reduc$3 increment$3 addition$4 decrement$3 diminish$3) with count$3 with (repair$3 fix$3 redundanc$3 correct $3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/27 12:18
S35	101	S34 and (memory).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/27 12:19
S36	62	S35 and (memory with row with (fail$3 fault$3 defect$3 error))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/27 12:21
S37	51	S36 and (memory with column with (fail$3 fault$3 defect$3 error))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/27 12:21
S38	43	S37 and (@pd<"20040113" or @ad<"20040113" or @prad<"20040113" or @rlad<"20040113")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/27 12:21

10/28/2008 2:37:42 PM
C:\ Documents and Settings\ gmerant\ My Documents\ EAST\ Workspaces\ 10_707_797.wsp